


Lawn Tractor and Ride-On Range



ΑU

2018/2019 Side Discharge Range



MINI RIDER

Compact, inexpensive and easy to use! This Briggs & Stratton powered rear engine mini rider is ideally suited to those with smaller yards or restricted access. This rider may also suit those who have limited storage space.

KEY FEATURES

- 190cc Briggs and Stratton Pro Electric Start
- 6 speed transmission
- 5 cutting positions
- Steel bumper
- Tool-less deck removal











RER 3000 10.5/30SD

Compact, powerful and easy to drive. This rear engine rider with its simple controls, great operator visibility and 76cm (30") cutting deck, will make short work of cutting the grass around the home.

- 10.5HP Briggs & Stratton engine
- Mulch kit standard
- 6 speed transmission
- 5 cutting positions
- Steel bumper
- Tool-less deck removal
- · Reverse mowing ability





















G3800 15.5/38 552986 RRP \$3,149

A competitive priced lawn tractor powered by a Briggs & Stratton 15.5HP engine and 96cm (38") side discharge cutting deck, with 6 speed transmission to conquer a wide range of lawns and conditions.

KEY FEATURES

- 15.5HP Briggs & Stratton engine
- 6 speed transmission
- 5 cutting positions
- Tool-less deck removal
- Reverse mowing ability











A4200552925 RRP \$3,599

Powered by the reliable Briggs & Stratton 17.5 HP Intek engine combined with the 107cm (42") side discharge cutting deck, along with the autodrive transmission, this ride-on mower is designed for a more heavy duty work load.

- 17.5HP Briggs & Stratton Intek™ engine
- CVT Autodrive transmission
- 5 cutting positions
- Heavy duty solid steel chassis
- Heavy duty solid steel pivoting front axle
- Tool-less deck removal
- Reverse mowing ability





























HVT 4200 552903 RRP \$4,399


This lawn tractor combines all the best features this range has to offer with added durability and operator convenience including, electronic blade engagement, fully adjustable high back seat, tool-less deck removal, mulch kit and a hydrostatic transmission. Ideally suited for large blocks, this tractor is powered by the 18HP Kawasaki V-twin OHV engine and, when combined with the heavy duty 107cm (42") deck, including anti-scalp wheels, it ensures a perfect finish each and every time.

- 18HP Kawasaki V-twin OHV engine
- Mulch kit standard
- Hydrostatic transmission
- 12 cutting positions
- Heavy duty solid steel chassis
- Offset 42" side discharge deck
- Electromagnetic deck engagement
- Cast iron pivoting front axle
- High back with arm rest • Tool-less deck removal












S155 92HD

552716 RRP \$4,999

A smaller and more compact lawn tractor, designed for areas where size doesn't necessarily matter. The cutting deck measures 92cm (36"), allowing it to manoeuvre between garden beds and gates with ease. This lawn tractor features the integrated mulching system, which allows you to catch or mulch from the comfort of

KEY FEATURES

- Briggs & Stratton 15.5 HP Powerbuilt engine
- Integrated mulching capability
- HydroGear T2 foot operated transmission
- 300L catcher full catcher buzzer alert
- Sturdy front bumper
- Speed 0-10 Km/h
- Tow hitch included
- Optional rear deflector



\$220 102HD Elite

The 102cm (40") twin blades make for quick and effective mowing suitable for most home and lifestyle blocks. The integrated mulching system is a real advantage on this machine. You can choose to mulch or catch by simply adjusting the lever.

- Briggs & Stratton Professional 22 HP engine
- Integrated mulching capability
- Hydrostatic Tuff Torq K46 foot operated transmission
- 320L catcher automatic or manual catcher full indicator
- Sturdy front bumper
- Speed 0-9.5 Km/h
- Tow hitch included
- Optional rear deflector





























ZVT 4200552987 RRP \$4,599

Zero turn technology provides superior manoeuvrability and time savings along with operator comfort and improved visibility. This model with a fully welded steel chassis and a wide platform provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turns ride-on mowers in its class.

KEY FEATURES

- 22HP V-Twin Briggs & Stratton engine
- Highly manoeuvrable 'zero turn' controls
- Dual EZT 2200 transmission
- 8 cutting positions
- Offset 107cm (42") side discharge deck
- Electromagnetic deck engagement



ZVT 4600 552999 RRP \$5,699

Zero turn technology provides superior manoeuvrability and time savings along with operator comfort and improved visibility. This model with a fully welded steel chassis and a wide platform provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turns ride-on mowers in its class.

- 24HP V-Twin Briggs & Stratton engine
- Highly manoeuvrable 'zero turn' controls
- Dual EZT 2200 transmission
- Cutting height 25mm 100mm
- 8 cutting positions
- Offset 117cm (46") side discharge fabricated deck
- Electromagnetic deck engagement






























ZVT 4800 552905 RRP \$7,899

Zero turn technology provides superior manoeuvrability and time savings along with operator comfort and improved visibility. This model with a fully welded steel chassis and a wide platform provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turns ride-on mowers in its class.

KEY FEATURES

- 24HP V-Twin Briggs & Stratton Intek engine
- Highly manoeuvrable 'zero turn' controls
- Dual Hydro-Gear™ ZT-2800™ transmission
- Cutting height 25mm 100mm
- 15 cutting positions
- Offset 122cm (48") side discharge fabricated deck





















Superior manoeuvrability and time savings along with operator comfort and improved visibility

MASPORT RIDE-ON RANGE

SDR ICON GUIDE



CATCHER FULL FUNCTION (2 options)

AUTO - cutting blades will automatically stop once the bag is full to avoid any over filling or clogging of the chute.

MANUAL - Audio buzzer sounds once catcher is full. Blades will continue to work until turned off.



SIDE DISCHARGE AND MULCHING

Can be easily converted into a mulching deck by removing the discharge chute and fitting the mulching cover no tools required*.

*Some models do not include mulch kits



DECK DESIGN

Sturdy steel cutting deck with synchronised contra rotating, high lift blades.

- Safety shear pins to protect belts and spindles.
- Hardened and tempered blades for increased durability.



ZERO TURN

The zero turn radius means these mowers are highly manoeuvrable, allowing you to mow around obstacles with ease and to get closer to edges. It also means less mowing time as you can turn on the spot, more time in action and less manoeuvring while lining up.



OFFSET DECK DESIGN

Masport offset decks are designed to have the discharge side of the deck trailing behind the other side, therefore providing full blade coverage when cutting the grass. This means all the grass is cut in one movement, without leaving uncut strips in the middle.



ADJUSTABLE LAP BARS

Large lap bars fitted with comfort grips, tool-less position adjustment, as well as an integrated parking brake - all this gives you ultimate comfort and control at your fingertips.



INTEGRATED MULCHING LEVER

The single lever design makes it very easy when engaging or disengaging the mulching function. This can all be done without having to leave the seat of the ride-on mower.



PIVOTING FRONT AXLE

The front axle pivots independently allowing more traction and control over uneven surfaces. This also makes for a smoother ride for the operator.



REAR DEFLECTOR

There is a rear deflector accessory suitable for all S-Series lawn tractor mowers. This gives you the option of spreading the grass cuttings.



MANUAL TRANSMISSION

Simple and effective, the 6 speed transmission is easy to use and gear selections can be made on the move without having to stop.



HYDROSTATIC TRANSMISSION

Provides an exceptionally smooth infinitely variable forward and reverse speed through a foot pedal for optimum driving control.



AUTO CVT TRANSMISSION

Auto CVT is a convenient, easy to use foot operated drive system which provides simple speed control. Speed change is smooth and precise.



ANTI-SCALP WHEELS

Anti-scalp wheels protect both your lawn and your deck. They prevent your lawn from being scalped by the deck and blades, allowing them to roll smoothly over undulating ground. The anti-scalp wheels also protect the deck and blades from contact with undulating ground or obstacles such as driveways.



TOOL-LESS CUTTING DECK REMOVAL

Masport SDR 24", 30", 38" and 42" cutting decks can be removed effortlessly without using tools. This makes it easier for DIY home maintenance, servicing and cleaning of the underside of the cutting deck.



BRIGGS & STRATTON AND KAWASAKI ENGINES

Powerful engine options delivering superior performance and durability.



ELECTRIC START

No pull starts, simply turn the key and go.

MASPORT RIDE-ON RANGE

COMPARISON CHART

	SIDE DISCHARGE								S - SERIES	
	MINI RIDER (552959)	RER 3000 (552896)	G3800 (552986)	A4200 (552925)	HVT 4200 (552903)	ZVT 4200 (552987)	ZVT 4600 (552999)	ZVT 4800 (552905)	S155 92HD (552716)	S220 102HD ELITE (552957)
ENGINE	190cc B&S Pro Electric Start	Briggs & Stratton 11.5 HP	Briggs & Stratton Intek 15.5 HP	Briggs & Stratton Intek 17.5 HP	Kawasaki 18.0HP Twin	Briggs & Stratton 22 HP - V twin	Briggs & Stratton 24 HP - V twin	Briggs & Stratton 24 HP - V twin	Briggs & Stratton Powerbuilt 15.5 HP	Briggs & Stratton Professional 22 HP
DECK WIDTH	24" (610 mm)	30" (765 mm)	38" (97cm)	42" (107cm)	42" (107cm)	42" (107cm)	46" (116cm)	48" (122cm)	36" (92cm)	102cm (40") Steel deck
CUTTING SYSTEM	Single Blade 3'N1	Single blade 3'n1	Double blades	Double blades	Double blades	Double blades	Double blades	Triple bar blade	High lift twin blades	High lift twin blades
CUTTING HEIGHTS	24-81mm	37-93mm	29-92mm	36-109mm	25-100mm	39-93mm	25-100mm	25-100mm	30-90mm	25-85mm
DECK ENGAGEMENT	Manual	Manual	Manual	Manual	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	El-mag	Electromagnetic
CATCHER		Optional extra	Optional extra	Optional extra	Optional extra				300L - Catcher full warning buzzer - manual empty	320L - Automatic or manual catcher full warning - manual empty
MULCHING	Optional	•	Optional	Optional	•	•	•	•	•	•
TRANSMISSION	6 Speed manual	6 Speed manual	6 Speed manual	CVT, Autodrive	Hydrostatic Tuff Torq K46, foot operation	Dual Hydro Gear® Hydro's	Dual EZT 2200	Dual ZT2800	Hydrostatic HydroGear T2, toe heel operation	Hydrostatic Tuff Torq K46, foot operation
LIGHTS			•	•	•				•	•
FORWARD SPEED	0-10 Km/h	0-10 Km/h	0-9 Km/h	0-9 Km/h	0-9 Km/h	0-10 Km/h	0-10 Km/h	0-10 Km/h	0-10 Km/h	0-9.5 Km/h
SEATING	Low back	Low back	Medium back	Low back	High back with arm rest	High back with arm rest	High back with arm rest	High back with arm rest	Comfort	Deluxe
FUEL TANK	1.14 Litre	5.7 Litre	5.7 Litre	5.7 Litre	11.3 Litre	11.3 Litre	10.6 Litre	10.6 Litre	7 Litre	12 Litre
BUMPER & ROLL BAR	Sturdy front bumper	Sturdy front bumper	Sturdy front bumper	Optional	Sturdy front bumper				Sturdy front bumper	Sturdy front bumper
STORAGE AREA									•	•
STEERING WHEEL	Standard	Standard	Standard	Standard	Soft touch	Dual control steering	Dual control steering	Dual control steering	Easy turn steering	Easy turn steering
HOUR METER			•	•	•	•	•	•	•	•
WARRANTY	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months
OVERALL DIMENSIONS	156 x 87 x 110 - (130kg)	175 x 130 x 157 - (131kg)	165 x 127 x 105 - (157kg)	174 x 135 x 105 - (188kg)	174 x 135 x 105 - (188kg)	170 x 135 x 110 - (188kg)	194 x 131 x 115 - (295kg)	194 x 131 x 115 - (329kg)	224 x 95 x 112 - (219kg)	248 x 106 x 130 - (271kg)
WHEELS	Front 13x5 Rear 16x6.5	Front 13x5 Rear 16x6.5	Front 15x6 Rear 20x8	Front 15x6 Rear 20x8	Front 15x6 Rear 20x8	Front 11x5 Rear 18x8.5	Front 13x6.5 Rear 18x8.5	Front 13x5 Rear 20x8	Front 15x6.5 Rear 18x8.5	Front 16x6.5 & rear 20x10







Warranty and Disclaimer Info:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Masport Ride-On brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport Australia Pty Limited

PO Box 533, Braeside, Victoria 3195, Australia P: 1300 366 225

F: 1800 035 594

E: sales@masport.com.au

www.masport.com.au

Available from:

