

Masport®



AU

Ride-On Mower Range
2019 / 2020

SIDE DISCHARGE RANGE (SDR)

Side discharge and
mulching ride-on mowers

MINI RIDER

552959

Compact, inexpensive and easy to use! This Briggs & Stratton powered rear engine mini rider is ideally suited to those with smaller yards or restricted access. This rider may also suit those who have limited storage space.

KEY FEATURES

- 190cc Briggs and Stratton Pro Electric Start
- 6 speed transmission
- 5 cutting positions
- Steel bumper
- Tool-less deck removal



RER 3000 10.5/30SD

553007

Compact, powerful and easy to drive. This rear engine rider with its simple controls, great operator visibility and 76cm (30") cutting deck, will make short work of cutting the grass around the home.

KEY FEATURES

- 10.5HP Briggs & Stratton engine
- Mulch kit standard
- 6 speed transmission
- 5 cutting positions
- Steel bumper
- Tool-less deck removal
- Reverse mowing ability



61
cm deck

190
cc engine



76
cm deck

10.5
HP engine





G3800 15.5/38

552986

A competitive priced lawn tractor powered by a Briggs & Stratton 15.5HP engine and 96cm (38") side discharge cutting deck, with 6 speed transmission to conquer a wide range of lawns and conditions.

KEY FEATURES

- 15.5HP Briggs & Stratton engine
- 6 speed transmission
- 5 cutting positions
- Tool-less deck removal
- Reverse mowing ability



A4200

552925

Powered by the reliable Briggs & Stratton 17.5 HP Intek engine combined with the 107cm (42") side discharge cutting deck, along with the autodrive transmission, this ride-on mower is designed for a more heavy duty work load.

KEY FEATURES

- 17.5HP Briggs & Stratton Intek™ engine
- CVT Autodrive transmission
- 5 cutting positions
- Heavy duty solid steel chassis
- Heavy duty solid steel pivoting front axle
- Tool-less deck removal
- Reverse mowing ability





HVT 4200

552903

This lawn tractor combines all the best features this range has to offer with added durability and operator convenience including electronic blade engagement, fully adjustable high back seat, tool-less deck removal, mulch kit and a hydrostatic transmission. Ideally suited for large blocks. This tractor is powered by the 18HP Kawasaki V-twin OHV engine and when combined with the heavy duty 107cm (42") deck, including anti-scalp wheels, it ensures a perfect finish each and every time.

KEY FEATURES

- 18HP Kawasaki V-twin OHV engine
- Mulch kit standard
- Hydrostatic transmission
- 12 cutting positions
- Heavy duty solid steel chassis
- Offset 42" side discharge deck
- Electromagnetic deck engagement
- Cast iron pivoting front axle
- High back with arm rest
- Tool-less deck removal



107
cm deck

18
HP engine



We reserve the right to change product specifications. Images are current as of printing, but may be subject to change.

ZERO TURN MOWERS

Highly manoeuvrable

ZVT 4200

552987

Zero turn technology provides superior manoeuvrability and time saving along with operator comfort and improved visibility. This model, with a fully welded steel chassis and a wide platform, provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turn ride-on mowers in its class.

KEY FEATURES

- 22HP V-Twin Briggs & Stratton engine
- Highly manoeuvrable 'zero turn' controls
- Dual EZT 2200 transmission
- 8 cutting positions
- Offset 107cm (42") side discharge deck
- Electromagnetic deck engagement

Limited stock available



ZVT 4600

552999

Zero turn technology provides superior manoeuvrability and time saving along with operator comfort and improved visibility. This model, with a fully welded steel chassis and a wide platform, provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turn ride-on mowers in its class.

KEY FEATURES

- 24HP V-Twin Briggs & Stratton engine
- Highly manoeuvrable 'zero turn' controls
- Dual EZT 2200 transmission
- Cutting height 25mm – 100mm
- 8 cutting positions
- Offset 117cm (46") side discharge fabricated deck
- Electromagnetic deck engagement

Limited stock available



107
cm deck

22
HP engine



117
cm deck

24
HP engine



ZVT 4800

552905

Zero turn technology provides superior manoeuvrability and time savings along with operator comfort and improved visibility. This model with a fully welded steel chassis and a wide platform provides additional user comfort. Well positioned lap bars drive the rear wheels via Dual Hydro Gear® hydrostatic transmissions. Powered by a V-Twin Briggs & Stratton engine - this is one of the best zero turn ride-on mowers in its class.

KEY FEATURES

- 24HP V-Twin Briggs & Stratton Intek engine
- Highly manoeuvrable 'zero turn' controls
- Dual Hydro-Gear™ ZT-2800™ transmission
- Cutting height 25mm – 100mm
- 15 cutting positions
- Offset 122cm (48") side discharge fabricated deck
- Electromagnetic deck engagement



Limited stock available



122
cm deck

24
HP engine



MASPORT CROSSJET

2 OPTIONS FOR
TOUGH TERRAIN

Do you want a Ride-on mower that mows more than just grass and on terrain that's normally more suited to goats? Are you frustrated by the lack of traction and control when operating conventional and zero turn Ride-on mowers (ZTR), especially when conditions are wet or the terrain is difficult? Do you feel unsafe and vulnerable when operating a Ride-on mower, especially on slopes or in wet or sandy conditions?

Masport Crossjet Ride-on mowers are perfect for demanding conditions like neglected and rough terrain and where traction can be compromised such as slopes, undulations, sandy and wet conditions. They will cut and mulch high grass, brush, blackberry, gorse, thistles and most overgrown and out of control vegetation.

The 92cm (36") cutting deck does not directly deflect cuttings from the side, therefore keeping paths, driveways, buildings, fences and gardens free from cut debris.

2WD
20HP
Engine

4WD
23HP
Engine



92CM
Cutting
Deck

CROSSJET 2WD 552596

- Briggs & Stratton Vanguard 20 HP V twin engine
- Tuff Torq K-62M rear transmission
- Speed forward 9kp/h

CROSSJET 4WD 552597

- Briggs & Stratton Vanguard 23 HP V twin engine
- Tuff Torq K-664 rear transmission
- Kanzaki KXH 10 front transmission
- Speed forward 9kp/h

BOTH MODELS FEATURE

- Heavy duty blade carrier with 2 swing back blades
- 6500m2 / h cutting time
- 50 - 110mm cut heights
- 19L fuel tank
- Sturdy front & rear bumper
- Diff-lock
- Cruise control (mechanical)
- Hour meter
- Steering control knob
- Halogen & LED lights
- Electromagnetic deck engagement
- Comfort seat
- 16" front & 20" rear wheels with V-shaped tread
- Dimensions - 231 x 105 x 151
- Weight 2WD - 294kg & 4WD - 346kg
- 3 Year engine warranty
- 36" (92cm) cutting deck

MASPORT GOLIATH


TACKLE TOUGH
TERRAIN WITH EASE

The 4WD Masport Goliath Ride-on tractor equipped with a hand operated diff lock, offers the user superior unsurpassed traction. Featuring an ISO certified Roll Over Protection System (ROPS), it provides the user with increased safety and peace of mind. It is designed to operate in all seasons and in most conditions where traction can be compromised such as on slopes, undulations, sandy and wet conditions.


Fitted with the 110cm (43"), 8 gauge heavy duty mulching deck, featuring 3 blade spindles operating 6 blades, the Goliath will cut and mulch tall grass with ease, leaving a neat and tidy finish. Plus, there is a model with a 92cm (36") slasher deck which will cut and mulch high grass, brush, blackberry, gorse, thistles and most overgrown and out of control vegetation.

All this versatility, combined with the 24HP Kawasaki engine, makes this one of the top performing lawn tractors available.

*Also available 553069 Goliath 24.0/43HD fitted with heavy duty transmission cooler.



92HD
92CM
Slasher
Deck



110HD
110CM
Mulching
Deck

GOLIATH 4WD 92HD 552934

- Kawasaki 24 HP FS730V engine
- Slasher Deck
- Heavy duty blade carrier with 2 swing back blades
- 92cm cut width
- Dimensions - 235 x 104 x 174 (398kg)

GOLIATH 4WD 110HD 552935

- Kawasaki 24 HP FS730V engine
- Mulching Deck
- 3 blade spindles operating 6 blades
- 110cm cut width
- Dimensions - 235 x 116 x 174 (409kg)

BOTH MODELS FEATURE

- Rear Transmission - Tuff Torq K-664
- Front Transmission - Kanzaki KXH 10
- 6500m2 / h - Slasher deck cutting time, 7000m2 / h - Mulching deck cutting time
- Halogen & LED lights
- Speed forward - 9.5km/h
- 16" front & 20" rear wheels with V-shaped tread
- Tough front & rear bumper with side rails
- Roll Over Protection System
- Diff-lock
- Cruise control
- Hour meter
- Steering control knob
- Electromagnetic deck engagement
- 16L fuel tank
- Comfort seat with arm rests
- 3 Year engine warranty

REAR CATCHER

Leave nothing behind

R 7-65.8 HD

12748745

Small but extremely agile. The R 7-65.8 HD Rider is ideal for lush lawns in medium or winding gardens. The ergonomic controls, geared steering for optimised control and the continuously variable transmission raise this rider to a new level.

KEY FEATURES

- Briggs & Stratton 950E engine
- Compact and smart design with easy to reach controls and anti-slip steering wheel
- Hydrostatic drive with foot pedal
- 130L catcher - full catcher audible alert
- 62cm (24") cutting deck
- Cut heights 25mm - 75mm
- Optional rear deflector



62
cm deck

223
cc engine

S155 92HD

552716

A smaller and more compact lawn tractor, designed for areas where size doesn't necessarily matter. The cutting deck measures 92cm (36"), allowing it to manoeuvre between garden beds and gates with ease. This lawn tractor features the integrated mulching system, which allows you to catch or mulch from the comfort of the seat.

KEY FEATURES

- Briggs & Stratton 15.5 HP Powerbuilt engine
- 6500m²/h cutting time
- Integrated mulching capability
- HydroGear T2 foot operated transmission
- 300L catcher - full catcher buzzer alert
- Sturdy front bumper
- Speed 0-10 Km/h
- Tow hitch included
- Optional rear deflector



92
cm deck

15.5
HP engine



S220 102HD Elite

552957

The 102cm (40") twin blades make for quick and effective mowing suitable for most home and lifestyle blocks. The integrated mulching system is a real advantage on this machine. You can choose to mulch or catch by simply adjusting the lever.

KEY FEATURES

- Briggs & Stratton Professional 22 HP engine
- 7000m2/ h cutting time
- Integrated mulching capability
- Hydrostatic Tuff Torq K46 foot operated transmission
- 320L catcher - automatic or manual catcher full indicator
- Sturdy front bumper
- Speed 0-9.5 Km/h
- Tow hitch included
- Optional rear deflector



MASPORT RIDE-ON RANGE ICON GUIDE

	CATCHER FULL FUNCTION (2 options) AUTO - cutting blades will automatically stop once the bag is full to avoid any over filling or clogging of the chute. MANUAL - Audio buzzer sounds once catcher is full. Blades will continue to work until turned off.		SIDE DISCHARGE AND MULCHING Can be easily converted into a mulching deck by removing the discharge chute and fitting the mulching cover — no tools required*. <small>*Some models do not include mulch kits</small>
	DECK DESIGN Sturdy steel cutting deck with synchronised contra rotating, high lift blades. <ul style="list-style-type: none">• Safety shear pins to protect belts and spindles.• Hardened and tempered blades for increased durability.		ZERO TURN The zero turn radius means these mowers are highly manoeuvrable, allowing you to mow around obstacles with ease and to get closer to edges. It also means less mowing time as you can turn on the spot, more time in action and less manoeuvring while lining up.
	OFFSET DECK DESIGN Masport offset decks are designed to have the discharge side of the deck trailing behind the other side, therefore providing full blade coverage when cutting the grass. This means all the grass is cut in one movement, without leaving uncut strips in the middle.		ADJUSTABLE LAP BARS Large lap bars fitted with comfort grips, tool-less position adjustment, as well as an integrated parking brake - all this gives you ultimate comfort and control at your fingertips.
	INTEGRATED MULCHING LEVER The single lever design makes it very easy when engaging or disengaging the mulching function. This can all be done without having to leave the seat of the ride-on mower.		PIVOTING FRONT AXLE The front axle pivots independently allowing more traction and control over uneven surfaces. This also makes for a smoother ride for the operator.
	REAR DEFLECTOR There is a rear deflector accessory suitable for all S-Series lawn tractor mowers. This gives you the option of spreading the grass cuttings.		MANUAL TRANSMISSION Simple and effective, the 6 speed transmission is easy to use and gear selections can be made on the move without having to stop.
	HYDROSTATIC TRANSMISSION Provides an exceptionally smooth infinitely variable forward and reverse speed through a foot pedal for optimum driving control.		AUTO CVT TRANSMISSION Auto CVT is a convenient, easy to use foot operated drive system which provides simple speed control. Speed change is smooth and precise.
	ANTI-SCALP WHEELS Anti-scalp wheels protect both your lawn and your deck. They prevent your lawn from being scalped by the deck and blades, allowing them to roll smoothly over undulating ground. The anti-scalp wheels also protect the deck and blades from contact with undulating ground or obstacles such as driveways.		TOOL-LESS CUTTING DECK REMOVAL Masport SDR 24", 30", 38" and 42" cutting decks can be removed effortlessly without using tools. This makes it easier for DIY home maintenance, servicing and cleaning of the underside of the cutting deck.
	BRIGGS & STRATTON AND KAWASAKI ENGINES Powerful engine options delivering superior performance and durability.		ELECTRIC START Simply turn the key and go.

MASPORT RIDE-ON RANGE

COMPARISON CHART

	SIDE DISCHARGE					ZERO TURN		
	MINI RIDER (552959)	RER 3000 (552896)	G3800 (552986)	A4200 (552925)	HVT 4200 (552903)	ZVT 4200 (552987)	ZVT 4600 (552999)	ZVT 4800 (552905)
ENGINE	190cc B&S Pro Electric Start	Briggs & Stratton 11.5 HP	Briggs & Stratton Intek 15.5 HP	Briggs & Stratton Intek 17.5 HP	Kawasaki 18.0HP Twin	Briggs & Stratton 22 HP - V twin	Briggs & Stratton 24 HP - V twin	Briggs & Stratton 24 HP - V twin
DECK WIDTH	24" (610 mm)	30" (765 mm)	38" (97cm)	42" (107cm)	42" (107cm)	42" (107cm)	46" (116cm)	48" (122cm)
CUTTING SYSTEM	Single Blade 3'N1	Single blade 3'n1	Double blades	Double blades	Double blades	Double blades	Double blades	Triple bar blade
CUTTING HEIGHTS	24-81mm	37-93mm	29-92mm	36-109mm	25-100mm	39-93mm	25-100mm	25-100mm
DECK ENGAGEMENT	Manual	Manual	Manual	Manual	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
CATCHER		Optional extra	Optional extra	Optional extra	Optional extra	Optional extra	Optional extra	Optional extra
MULCHING	Optional	●	Optional	Optional	●	Optional	Optional	●
TRANSMISSION	6 Speed manual	6 Speed manual	6 Speed manual	CVT, Autodrive	Hydrostatic Tuff Torq K46, foot operation	Dual Hydro Gear® Hydro's	Dual EZT 2200	Dual ZT2800
DIFF-LOCK								
LIGHTS			●	●	●			
FORWARD SPEED	0-10 Km/h	0-10 Km/h	0-9 Km/h	0-9 Km/h	0-9 Km/h	0-10 Km/h	0-10 Km/h	0-10 Km/h
SEATING	Low back	Low back	Medium back	Low back	High back with arm rest	High back with arm rest	High back with arm rest	High back with arm rest
FUEL TANK	1.14 Litre	5.7 Litre	5.7 Litre	5.7 Litre	11.3 Litre	11.3 Litre	10.6 Litre	10.6 Litre
BUMPER & ROLL BAR	Sturdy front bumper	Sturdy front bumper	Sturdy front bumper	Optional	Sturdy front bumper			
STEERING WHEEL	Standard	Standard	Standard	Standard	Soft touch	Dual control steering	Dual control steering	Dual control steering
HOURL METER			●	●	●	●	●	●
WARRANTY	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months
OVERALL DIMENSIONS	156 x 87 x 110 - (130kg)	175 x 130 x 157 - (131kg)	165 x 127 x 105 - (157kg)	174 x 135 x 105 - (188kg)	174 x 135 x 105 - (188kg)	170 x 135 x 110 - (188kg)	194 x 131 x 115 - (295kg)	194 x 131 x 115 - (329kg)
WHEELS	Front 13x5 Rear 16x6.5	Front 13x5 Rear 16x6.5	Front 15x6 Rear 20x8	Front 15x6 Rear 20x8	Front 15x6 Rear 20x8	Front 11x5 Rear 18x8.5	Front 13x6.5 Rear 18x8.5	Front 13x5 Rear 20x8

	CROSSJET		GOLIATH	REAR CATCHER		
	CROSSJET 2WD (552596)	CROSSJET 4WD (552597)	GOLIATH (552934) (552935)	R7 - 65.8HD (12748745)	S155 92HD (552716)	S220 102HD ELITE (552957)
ENGINE	Briggs & Stratton Vanguard 20 HP V twin	Briggs & Stratton Vanguard 23 HP V twin	Kawasaki 24 HP FS730V engine	Briggs & Stratton 950E	Briggs & Stratton Powerbuilt 15.5 HP	Briggs & Stratton Professional 22 HP
DECK WIDTH	92cm (36") heavy duty steel deck	92cm (36") heavy duty steel deck	92cm (36") slasher deck or 110cm (43") mulching deck	24" (62 cm)	36" (92cm)	102cm (40") Steel deck
CUTTING SYSTEM	HD twin flail on solid bar	HD twin flail on solid bar	HD twin flail on solid bar or 3x dual blade spindles	Single blade	High lift twin blades	High lift twin blades
CUTTING HEIGHTS	50-110mm	50-110mm	45-135mm	25-75mm	30-90mm	25-85mm
DECK ENGAGEMENT	El-mag	El-mag	El-mag	Manual	El-mag	Electromagnetic
CATCHER				130L - Catcher full warning buzzer - manual empty	300L - Catcher full warning buzzer - manual empty	320L - Automatic or manual catcher full warning - manual empty
MULCHING	●	●	●		●	●
TRANSMISSION	Tuff Torq K-62M hydrostatic transaxle	Rear - Tuff Torq K-664 hydrostatic transaxle Front - Kanzaki KXH 10 transaxle	Rear - Tuff Torq K-664 hydrostatic transaxle Front - Kanzaki KXH 10 transaxle	Hydrostatic HydroGear T1, foot operation	Hydrostatic HydroGear T2, foot operation	Hydrostatic Tuff Torq K46, foot operation
DIFF-LOCK	●	●	●			
LIGHTS	Halogen and LED	Halogen and LED	Halogen and LED		●	●
FORWARD SPEED	0-9 Km/h	0-9 Km/h	0-9.5 Km/h	0-6.2Km/h	0-10 Km/h	0-9.5 Km/h
SEATING	Comfort seat	Comfort seat	Comfort seat	Comfort	Comfort	Deluxe
FUEL TANK	19 Litre	19 Litre	16 Litre	1.1 Litre	7 Litre	12 Litre
BUMPER & ROLL BAR	Bumper and roll bar	Bumper and roll bar	Bumper and certified ROPS		Sturdy front bumper	Sturdy front bumper
STEERING WHEEL	Adjustable Easy turn steering ball	Adjustable Easy turn steering ball	Adjustable Easy turn steering ball	Easy turn steering	Easy turn steering	Easy turn steering
HOURL METER	●	●	●		●	●
WARRANTY	24 Months 3 year engine	24 Months 3 year engine	24 Months 3 year engine	24 Months	24 Months	24 Months
OVERALL DIMENSIONS	231 x 105 x 151 - (294kg)	231 x 105 x 151 - (346kg)	552934: 235 x 104 x 174 - (398kg) 552935: 235 x 116 x 174 - (409kg)	117 x 78 x 183 - (125kg)	224 x 95 x 112 - (219kg)	248 x 106 x 130 - (271kg)
WHEELS	V-shaped tread front 16" and rear 20"	V-shaped tread front 16" and rear 20"	V-shaped tread front 16" and rear 20"	Front 11x4.0-6 Rear 13x5.0-6	Front 15x6.5 Rear 18x8.5	Front 16x6.5 & rear 20x10



Warranty and Disclaimer Info:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Masport Ride-On brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport Australia Pty Limited

PO Box 533, Braeside, Victoria 3195, Australia

P: 1300 366 225

F: 1800 035 594

E: sales@masport.com.au

www.masport.com.au

Available from:



Quality
ISO 9001